



# AirTower 10'x18"




ATTENTION:			
Bleed			
Safe Guide			
Trim Line			
<ul> <li>Template ratio: 1:10</li> <li>Files to be supplied as vector AI, EPS.</li> <li>Files can be supplied at 100%, 50% or 25% the correct proportions are important.</li> <li>Please ensure all logos and text are within the safe guide to prevent any cropping.</li> <li>Minimum font size - 30 pts</li> <li>All text needs to be converted to paths/outlines.</li> <li>Logos should be imported/placed as vector.</li> </ul>			
<ul> <li>Logos should be imported/placed as vector and must be in CMYK / pantone.</li> </ul>			
<ul> <li>Photographic images should be supplied at 100dpi at finished size.</li> </ul>			
<ul> <li>No bleed required.</li> </ul>			
<ul> <li>Other information required:</li> <li>Specific pantone colours*</li> </ul>			
*Banners are printed using CMYK dye sublimation. We will make every effort to match Pantone colours as close as possible.			





# AirTower 13'x18"



# ATTENTION: Bleed Safe Guide Trim Line • Template ratio: 1:10 • Files to be supplied as vector AI, EPS. • Files can be supplied at 100%, 50% or 25% the correct proportions are important. • Please ensure all logos and text are within the safe guide to prevent any cropping. • Minimum font size - 30 pts • All text needs to be converted to paths/outlines. • Logos should be imported/placed as vector and must be in CMYK / pantone. • Photographic images should be supplied at 100dpi at finished size. • No bleed required. • Other information required:

\*Banners are printed using CMYK dye sublimation.


We will make every effort to match Pantone colours

Specific pantone colours\*

as close as possible.

	1
<u> </u>	


# AirTower 13'x24"



ATTENTION:	
Bleed	
Safe Guide	
Trim Line	
• Template ratio: 1:10	

- Files to be supplied as vector AI, EPS.
- Files can be supplied at 100%, 50% or 25% the correct proportions are important.
- Please ensure all logos and text are within the safe guide to prevent any cropping.
- Minimum font size 30 pts
- All text needs to be converted to paths/outlines.
- Logos should be imported/placed as vector and must be in CMYK / pantone.
- Photographic images should be supplied at 100dpi at finished size.
- No bleed required.
- Other information required: Specific pantone colours\*

\*Banners are printed using CMYK dye sublimation. We will make every effort to match Pantone colours as close as possible.





# AirTower - 6.5'

### 18" Diameter

SCALE 10% OF ACTUAL SIZE

## **ATTENTION:** Bleed Safe Guide Trim Line • Template ratio: 1:10 • Files to be supplied as vector AI, EPS. • Files can be supplied at 100%, 50% or 25% the correct proportions are important. • Please ensure all logos and text are within the safe guide to prevent any cropping. • Minimum font size - 30 pts • All text needs to be converted to paths/outlines. • Logos should be imported/placed as vector and must be in CMYK / pantone. • Photographic images should be supplied at 100dpi at finished size. • No bleed required. • Other information required: Specific pantone colours\* \*Banners are printed using CMYK dye sublimation. We will make every effort to match Pantone colours as close as possible.








DESIGN SAFE AREA

### BLEED LINE


# AirTower 10'x24"



# ATTENTION:

- Bleed
- Safe Guide
- Trim Line
- Template ratio: 1:10
- Files to be supplied as vector AI, EPS.
- Files can be supplied at 100%, 50% or 25% the correct proportions are important.
- Please ensure all logos and text are within the safe guide to prevent any cropping.
- Minimum font size 30 pts
- All text needs to be converted to paths/outlines.
- Logos should be imported/placed as vector and must be in CMYK / pantone.
- Photographic images should be supplied at 100dpi at finished size.
- No bleed required.
- Other information required:
   Specific pantone colours\*

\*Banners are printed using CMYK dye sublimation. We will make every effort to match Pantone colours as close as possible.



1 1	 	 

# ATTENTION: Bleed Safe Guide Trim Line • Template ratio: 1:10 • Files to be supplied as vector AI, EPS. • Files can be supplied at 100%, 50% or 25%

- Files can be supplied at 100%, 50% or 25% the correct proportions are important.
- Please ensure all logos and text are within the safe guide to prevent any cropping.
- Minimum font size 30 pts
- All text needs to be converted to paths/outlines.
- Logos should be imported/placed as vector and must be in CMYK / pantone.
- Photographic images should be supplied at 100dpi at finished size.
- No bleed required.
- Other information required:
   Specific pantone colours\*


\*Banners are printed using CMYK dye sublimation. We will make every effort to match Pantone colours as close as possible.



DESIGN SAFE AREA

BLEED LINE

# **AirTower 16.5'x24"**



	_	
	1	 